20

25

What is claimed is:

Claims

5 1. A method comprising:

setting up a first part of a multi-media call utilizing packet-switched resources on a communication network;

setting up a second part of the multi-media call utilizing circuit-switched resources on the communication network.

- 2. The method of claim 1, further comprising the step of automatically assigning a part of the multi-media call to at least one of a packet-switched resource and a circuit-switched resource based on at least one of bandwidth, quality of service request, and real-time requirement for the part of the multi-media call.
- 3. The method of claim 1, further comprising the step of setting up a third part of the multi-media call without affecting the resources allocated to the first part of a multi-media call and the second part of the multi-media call.
- 4. The method of claim 1, wherein call control for the multi-media call is handled by a single point of control.
- 5. A computer-readable signal-bearing medium comprising computer readableprogram code that performs the steps of claim 1.

6. A method comprising the steps of:

receiving a request from a user for a call comprised of one or more resources;

allocating the one or more resources among packet-switched resources and circuit-switched resources associated with a communication network to set up the call.

- 7. The method of claim 6, further comprising the step of receiving a request for an additional resource for the call.
- 5 8. The method of claim 6, further comprising the steps of:

determining whether resources as requested by the user are available for the call;

- when resources as requested by the user are not available for the call, offering to the user resources different that the resources requested by the user.
 - 9. The method of claim 8, wherein the resources requested by the user are circuit-switched resources and the resources offered to the user are packet-switched resources.
- 10. The method of claim 8, wherein the resources requested by the user arepacket-switched resources and the resources offered to the user are circuit-switched resources.
- 11. The method of claim 8, wherein the resources are offered to the user by at least one of quality of service, bandwidth, and real-time vs. non-real time.
 - 12. The method of claim 6, wherein the call is a multi-media call.
- 3013. A computer-readable signal-bearing medium comprising computer readable program code that performs the steps of claim 6.

14. A method comprising the steps of:

initiating a call with a first party over a communication network;

5 requesting at least one resource for the call according to at least one call characteristic, wherein the at least one resource is at least one of a plurality of circuit-switched resources and packet-switched resources.

15. The method of claim 14, further comprising the step of requesting resources in the call to add a second party to the call.

16. The method of claim 14, wherein the call comprises any combination of voice, video, and data.

- 17. The method of claim 14, further comprising the step of selecting at least one 20 characteristic by which the at least one resource is requested.
- 18. The method of claim 17, wherein the at least one characteristic comprises at least one of bandwidth, quality of service, and real-time transmission needs. 25
 - 19. A computer-readable signal-bearing medium comprising computer readable program code that performs the steps of claim 14.